



Holy Name Anaphylaxis Management Policy

1. Introduction

Melbourne Archdiocese Catholic Schools Ltd (**MACS**) is a company limited by guarantee established in 2021 by the Archbishop of the Catholic Archdiocese of Melbourne to assume the governance and operation of MACS schools across the Archdiocese of Melbourne. MACS subsequently established Melbourne Archdiocese Catholic Specialist Schools Ltd (**MACSS**) to provide educational services to children with diverse needs and Melbourne Archdiocese Catholic Schools Early Years Education (**MACSEYE**) to provide early years care and education services.

The [Statement of Mission](#) in the MACS Constitution, and the constitutions of its subsidiaries, MACSS and MACSEYE, sets out the Archbishop's expectations of Catholic schooling in the Archdiocese and provides an important context and grounding for the company and the direction which the MACS Board must always observe in the pursuit of the company's objects.

The Board must ensure that all policies and procedures concerning the operations of MACS, and its subsidiaries are consistent with the Statement of Mission and company objects, as well as any directions issued by the Archbishop from time to time.

2. Purpose

Holy Name is a school which operates with the consent of the Catholic Archbishop of Melbourne and is owned, operated and governed by Melbourne Archdiocese Catholic Schools Ltd (MACS).

This policy aligns with the *Anaphylaxis Management Policy for MACS Schools* and ensures that Holy Name provides, as far as practicable, safe and supportive environments in which students at risk of anaphylaxis receive reasonable adjustments that enable them to fully participate in school programs and activities.

3. Scope

This policy applies to the following people in our school:

- the principal, all staff including volunteers and casual relief staff (**staff**)
- students who have been diagnosed by a medical practitioner as having a medical condition that relates to allergy and the potential for anaphylactic reaction, where the school has been notified of that diagnosis
- parents and carers of students who have been diagnosed by a medical practitioner as having a medical condition that relates to allergy and the potential for anaphylactic reaction.

4. Principles

The following principles underpin this policy:

- MACS seeks to ensure the safety and wellbeing of all students whilst at school.
- The principal and all staff work with parents and carers to ensure, as far as practicable, that the needs of children at risk of anaphylaxis will be considered, mitigated and minimised during school activities.
- The principal and all staff take reasonable steps to reduce and manage risks to students with anaphylaxis in the school environment and at school-approved activities.
- The principal, at all times, ensures the school complies with *Ministerial Order 706: Anaphylaxis Management in Victorian Schools and School Boarding Premises* and the associated *Anaphylaxis Guidelines* as published and amended by the Department of Education from time to time.

5. Ministerial Order 706 – School requirements

Holy Name will fully comply with [Ministerial Order 706: Anaphylaxis Management in Victorian Schools and School Boarding Premises](#) (MO 706) and the associated [Anaphylaxis Guidelines](#) (Guidelines) as published and amended by the Department of Education (DE) from time to time to support the implementation of MO 706.

The principal, at all times, has the overall responsibility to comply with and implement the requirements of MO 706 and the associated Guidelines. The principal may allocate tasks under MO 706 to other staff at the school, such as the assistant principal or other appropriate school staff members, as outlined in this policy. Where the principal has allocated tasks to other staff, the principal retains final oversight of all responsibilities under MO 706.

The principal works collaboratively with parents and carers to ensure the timely provision of up-to-date Australasian Society of Clinical Immunology and Allergy (ASCI) Action Plan for Anaphylaxis (RED), in accordance with MO 706, for each student diagnosed with a medical condition that relates to allergy and the potential for anaphylactic reaction.

6. Individual Anaphylaxis Management Plan and ASCIA Action Plan for Anaphylaxis (RED)

6.1. Individual Anaphylaxis Management Plan (IAMP)

The principal is responsible for ensuring that every student at the school diagnosed with a medical condition that relates to allergy and the potential for anaphylactic reaction has an Individual Anaphylaxis Management Plan (IAMP) developed using the approved MACS template: [IAMP template](#). The IAMP must be in place as soon as practicable after the student enrolls at the school, and where possible before the student's first day of attendance at the school.

Each student's IAMP is completed by the school in consultation with the student's parents and carers and includes:

- information about the medical condition that relates to allergy and the potential for anaphylactic reaction, including the type of allergy or allergies the student has (based on a written diagnosis from a medical practitioner)
- strategies that will be implemented by the school to minimise the risk of exposure to known and notified allergens while the student is under the care or supervision of school staff, for settings in and out of the school, including in the school yard, at camps and excursions, or at special events conducted, organised or attended by the school
- whether the student can self-administer their medication
- the name of the person/s responsible for implementing the risk minimisation/prevention strategies
- information on where the student's medication will be stored
- the student's emergency contact details
- a copy of the action plan for anaphylaxis in an ASCIA-approved Action Plan for Anaphylaxis (RED) template completed and signed by a medical practitioner provided by the parents and carers.

Reviewing the IAMP

The principal is responsible for ensuring that each student's IAMP is reviewed in consultation with their parents and carers in all the following circumstances:

- annually
- if the student's medical condition changes as it relates to allergy and the potential for anaphylactic reaction
- as soon as is practicable after the student has an anaphylactic reaction at school

- when the student is to participate in an off-site activity such as camps and excursions, or at special events conducted, organised or attended by the school (e.g. class parties, elective subjects, cultural days, fetes, incursions)

ASCIA Action Plan for Anaphylaxis (RED)

The principal is responsible for ensuring that a copy of the signed ASCIA Action Plan for Anaphylaxis (RED) is held by the school for every student diagnosed with a medical condition related to allergy and at risk of anaphylactic reaction. This plan must be provided by the parents and carers and retained by the school together with the student's IAMP.

Each student's ASCIA Action Plan for Anaphylaxis (RED) must:

- outline the student's severe allergies and the steps to take in the event of an anaphylactic reaction
- include designated fields for medical information and a current photograph, which must be completed by the student's medical practitioner or nurse practitioner. As a formal medical document, these sections cannot be completed by parents, carers or school staff
- be updated according to the review date specified by the student's doctor or nurse practitioner, identified on the current plan. If there is no change in the student's allergy, the plan is updated by the date specified by the student's medical practitioner or nurse practitioner on the current plan. This typically occurs every 12 to 18 months, in line with the student's medical review and renewal of their adrenaline prescription.

6.2. Parent and carer responsibilities

The principal is responsible for working collaboratively with parents and carers to ensure they understand and fulfil their responsibilities to:

- provide the school with a copy of their child's current ASCIA Action Plan for Anaphylaxis (RED) signed by the student's medical practitioner or nurse practitioner and:
 - include an up-to-date photo of their child for the ASCIA Action Plan for Anaphylaxis (RED) when that plan is provided to the school or provider of school boarding services and when it is reviewed
 - promptly inform the school in writing of any changes to their child's allergy-related medical condition and, where applicable, provide an updated ASCIA Action Plan for Anaphylaxis (RED) with an updated photo whenever the plan is reviewed. The principal is responsible for ensuring that updated documentation or medication is obtained from parents and carers as required, in accordance with the school's Communication plan (as outlined at (12))
- supply the school with an adrenaline device that is current and not expired for their child and replace the prescribed medication and/or adrenaline device before its expiry date
- participate in a Program Support Group (PSG) meeting at least annually, or as required, to review and update the child's IAMP based on medical advice
- provide an [ASCIA Travel Plan for People at Risk of Anaphylaxis](#) prepared by a registered medical practitioner, as well as an [ASCIA Action Plan for Anaphylaxis \(RED\)](#), when the student is attending a school-related excursion, camp or travel involving an aeroplane.

Table 1: Summary of documentation and medication required for anaphylaxis management

Document or equipment	Who provides/creates it?	Who signs it?	When?
ASCIA Action Plan for Anaphylaxis (RED) along with updated photo	Parents and carers	Doctor, Nurse Practitioner	At diagnosis, by the date specified on the student's ASCIA plan – in line with the student's medical review annually, before excursions and camps, as required.

Document or equipment	Who provides/ creates it?	Who signs it?	When?
Individual Anaphylaxis Management Plan (IAMP)	School	Principal/principal nominee, parents and carers	At diagnosis, annually, before a school-related excursion, camp or travel and if the student has an anaphylactic reaction at school.
Medication (EpiPen®, Anapen®, etc.)	Parents and carers	N/A, as prescribed in the ASCIA Action Plan for Anaphylaxis (RED)	At diagnosis, at the time of use or before expiry date (usually within 12–18 months).
ASCIA Travel Plan for People at Risk of Anaphylaxis	Parents and carers	Doctor, Nurse Practitioner	Before going on a school-related excursion, camp or travel involving an aeroplane.

7. Anaphylaxis and Allergy Register

The principal is responsible for ensuring that a register of students identified as having a medical condition that relates to allergy and the potential for anaphylactic reaction is accurately maintained, kept up-to-date and regularly communicated to all staff. The register must be easily accessible to all staff at all times, including during emergencies.

Register of students with anaphylaxis

- The register of students identified as having a medical condition that relates to allergy and the potential for anaphylactic reaction is located on the wall in the first aid room and kept in a folder in the offices.
- Classroom teachers are provided with an electronic medical register which contains those that are at risk of anaphylaxis.
- The principal is responsible for maintaining the register of students at risk of anaphylactic reaction.

8. Location of IAMPs, ASCIA Action Plans for Anaphylaxis (RED) and Adrenaline Autoinjectors for General Use

The principal is responsible for ensuring that:

- all school staff are informed of the location of student IAMPs and ASCIA Action Plans for Anaphylaxis (RED) during normal school activities including in the classroom, the school yard, all school buildings and sites including gymnasiums and halls
- this information is accessible during excursions, camps and any special events conducted, organised or attended by the school
- if a student is participating in domestic or overseas travel, the [ASCIA Travel Plan for People at Risk of Anaphylaxis](#) is completed by a registered medical practitioner.

8.1. Location, storage and accessibility of adrenaline autoinjectors

The principal is responsible for ensuring that:

- a sufficient supply of adrenaline autoinjectors for general use are purchased at the expense of the school, no prescription is necessary
- adrenaline autoinjectors for general use are stored in multiple, clearly labelled locations around the school, including the sick bay or first aid room, and portable first aid kits, as required
- adrenaline autoinjectors for general use are replaced immediately after use or upon expiry; whichever occurs first. (Expiry dates are usually within 12–18 months).

At our school, adrenaline autoinjectors for general use serve as a back-up to those supplied by parents and carers for individual students. These adrenaline autoinjectors may also be required in

emergencies for another student who has not previously been diagnosed by a medical practitioner as having a medical condition that relates to allergy and the potential for anaphylactic reaction.

8.2. Determining minimum adrenaline autoinjector requirements

The principal is responsible for determining the number and type of adrenaline autoinjectors for general use required by the school. In making this decision, the principal will consider:

- the number of students enrolled at the school who have been diagnosed by a medical practitioner as having a medical condition that relates to allergy and the potential for anaphylactic reaction, where the school has been notified of that diagnosis, and the type and accessibility of the adrenaline device supplied by parents and carers for each student
- the number of and location of storage points across the school, including the school yard
- the frequency and nature of school-approved off-site activities, such as excursions, camps and special events
- the expiry period of the different brands of adrenaline autoinjectors for general use (usually 12–18 months)
- the type and brand of adrenaline autoinjectors for general use, considering:
 - available brands in Australia registered with the Therapeutic Goods Administration (TGA) (EpiPen®, EpiPen Jr®, Anapen 500®, Anapen 300® and Anapen Jr®, Jext® and Neffy® (nasal spray)). All devices can be used when provided by parents and carers for students, however, the principal can only purchase EpiPen®, Anapen® or Jext® autoinjectors for general use
 - types suitable for emergency use
 - brands that are widely accessible and do not require a prescription.

Holy Name provides adrenaline (epinephrine) autoinjector for general use.

8.3. Storage requirements

The principal is responsible for ensuring that adrenaline autoinjectors for general use purchased by the school and adrenaline devices supplied by parents and carers are stored in a cool dark place at room temperature, which is defined as between 15 and 25 degrees Celsius. Where these temperatures cannot be maintained, ASCIA recommends storing the device in an insulated wallet. Students who have been approved to self-administer, may choose to keep their prescribed adrenaline device on them.

The School Anaphylaxis Supervisors are responsible for ensuring that all school staff are familiar with the locations, storage and accessibility of adrenaline devices in the school, including those purchased for general use.

8.4. When to use an adrenaline autoinjector for general use

The principal is responsible for ensuring that adrenaline autoinjectors for general use are used under the following circumstances:

- a student's prescribed adrenaline device does not work, is misplaced, misfires, has accidentally been discharged, is out of date or has already been used
- a student previously diagnosed with a mild or moderate allergy who was not prescribed an adrenaline device has their first episode of anaphylaxis
- when instructed by a medical officer after calling 000
- first time reaction to be treated with adrenaline before calling.

Where school staff are in doubt, the student will be given the adrenaline device as per the ASCIA Action Plan for Anaphylaxis (RED) and in alignment with the [ASCIA First Aid Plan for Anaphylaxis](#).

8.5. Self-administration

The decision as to whether a student may carry their own adrenaline device is made during the development of the student's IAMP, in consultation with the student, the parents and carers and the student's medical practitioner or nurse practitioner.

If a student is ordinarily capable of self-administering their adrenaline device, they may sometimes be unable to do so during a severe reaction. In such cases, school staff must administer the adrenaline device to the student as part of their duty of care.

If a student self-administers an adrenaline device:

- one member of school staff should supervise and monitor the student at all times
- another member of school staff should immediately contact an ambulance (000).

If a student carries their own adrenaline device, the school will keep a second adrenaline device (supplied by the parents and carers) in an easily accessible, unlocked location known to all school staff.

Location of IAMPs, ASCIA Action Plans for Anaphylaxis (RED) and adrenaline devices

School to add school-specific details:

- Students IAMPs with the ASCIA Action Plan for Anaphylaxis (RED) are kept in their container and in the office. Their picture is kept in the sick bay wall and the canteen wall.
- Adrenaline devices supplied by parents and carers are kept in a clearly marked container in the staffroom. Adrenaline autoinjectors for general use are kept in the staffroom in a clearly labelled container. These are available for use if a student has an anaphylactic reaction and they have already used their autoinjector or are directed by the paramedics. There are separate procedures for camps, excursions and special activities depending on the context. Generally, teachers responsible for students who have been diagnosed by a medical practitioner as having a medical condition that relates to allergy and the potential for anaphylactic reaction will hold on to the student-supplied adrenaline devices and leaders will have adrenaline autoinjectors for general use. Information about the procedures for each camp is included in the risk assessment and the pre-activity briefing.
- Adrenaline devices supplied for students and those for general use will be in the Staff room

9. Staff training

The principal is responsible for ensuring that:

- reasonable steps are taken to ensure that all school staff have adequate knowledge and training about allergies, anaphylaxis and the school's expectations in responding to an anaphylactic reaction
- all school staff successfully complete an anaphylaxis management training course (either online in the last two years or face-to-face in the last three years) if they:
 - conduct classes attended by students with a medical condition relating to allergy and the potential for anaphylactic reaction, or
 - are specifically identified and requested to do so by the principal, based on the principal's assessment of the risk of an anaphylactic reaction occurring while a student is under that staff member's care, authority or supervision. For example, those teaching health and physical education, attending school camps or who are new to the school that require training
- volunteers and regular casual relief teachers (CRT) receive appropriate anaphylaxis training during induction sessions, when any student who has been diagnosed by a medical practitioner as having a medical condition that relates to allergy and the potential for anaphylactic reaction, where the school has been notified of that diagnosis, enrol in the school, or when the IAMP for current students are changed. CRTs who are not regular at the school are informed about any at risk students attending their classes or as relevant to the duties assigned to the CRT. This

includes informing them of the location of the IAMPs and adrenaline devices both student-supplied and those purchased by the school for general use throughout the school

- staff training takes place as soon as practicable after a student at risk of anaphylaxis enrolls and, where possible, before the student's first day at school
- all staff participate in twice yearly anaphylaxis management staff briefings including information set out by the DE for use in Victorian schools, with one briefing at the commencement of the school year
- where the school has been notified and if for any reason the staff training and the required briefing have not yet occurred, the principal is responsible for ensuring that an interim plan is developed, in consultation with parents and carers, of any student who has been diagnosed by a medical practitioner as having a medical condition that relates to allergy and the potential for anaphylactic reaction, and training must occur as soon as possible thereafter. When preparing the interim plan, the principal will also consider consulting the School Anaphylaxis Supervisor, the school nurse (if applicable) and the student's treating medical practitioner.

9.1. Staff training options

The principal is responsible for ensuring that relevant staff have access to training. The following training is provided

- [ASCIA Anaphylaxis e-training course Victorian Schools](#) – A free course for all Victorian school staff (and the general public) and is delivered online. It is developed specifically for Victorian school staff to increase the quality of course delivery and consistency of training so all school staff are trained in the same way. Relevant staff must:
 - complete this course every two years
 - have a School Anaphylaxis Supervisor verify their competency in the correct use of adrenaline autoinjectors (EpiPen and Anapen) in line with the Anaphylaxis Management School Training Checklist, within 30 days of successfully completing this course
 - have the ASCIA certificate signed by a School Anaphylaxis Supervisor to confirm the staff member has also demonstrated proficiency in using an adrenaline autoinjector device.

9.2. Twice yearly staff briefings

The principal is responsible for ensuring that School Anaphylaxis Supervisors or another staff member who has successfully completed an anaphylaxis management training course referred to in MO706 in the two years prior, lead all staff in twice yearly staff briefings on anaphylaxis management, with one held at the start of the school year. The school uses the Anaphylaxis management briefing presentation template, including the facilitator guide and presentation for briefings on the DE website: [Resources page](#). The staff briefings will include information on:

- the school's Anaphylaxis Management Policy
- the causes, symptoms and treatment of anaphylaxis
- the identities of students, where the school has been notified, who have been diagnosed by a medical practitioner as having a medical condition that relates to allergy and the potential for anaphylactic reaction and the location of their IAMP and their medication/s
- how to use an adrenaline autoinjector, including hands-on practice with an adrenaline autoinjector trainer device (which does not contain adrenaline)
- the school's general first aid and emergency procedures
- the location of and access to the adrenaline devices supplied by parents and carers for individual student use
- the location of and access to the adrenaline autoinjectors that the school has purchased for general use
- information on staff anaphylaxis training and renewal requirements and how to access ongoing support and training.

The principal is responsible for establishing clear expectations regarding anaphylaxis training requirements, the processes for completing training and the systems for maintaining training records, including assigning responsibility for record-keeping.

- Expectations in the school for training and how this will be done

Staff are expected to complete the anaphylaxis e-modules. Time will be allocated at a staff meeting, with further time being given for the practical test. If the e-modules are completed outside of this time, a private time will be negotiated to enable the practical test to occur.

- Once a staff member has completed the e-module and been awarded a certificate, it is the staff members responsibility to send the certificate to the deputy principal, who will record it. This indicates that the staff member is now ready for their practical test by the supervisor within the 30 day time frame.
- Anaphylaxis twice yearly briefings and updates are held. The first is conducted on the first day of school while the other is conducted early in Term 3 during a staff meeting. The slides used are then sent to all staff members. An LSO briefing in the second part of the year is conducted during an LSO meeting.

9.3. School Anaphylaxis Supervisors

The principal is responsible for ensuring that each school campus appoints two staff members to perform the role of School Anaphylaxis Supervisors. These supervisors will be authorised to sign ASCIA certificates for staff within their campus/school.

Eligibility requirements

To be eligible for the role, staff must hold and maintain the following certifications:

- [ASCIA anaphylaxis e-training course](#), completed every two years
- *Course in Verifying the Correct Use of Adrenaline Injector Devices 22579VIC*, completed every 3 years (provided by Hero)
 - staff must also have completed the ASCIA e-training course within the previous 12 months before enrolling
- *First Aid Management of Anaphylaxis 22578VIC*, completed every 3 years (provided by Hero).

Device specific training requirements

On 1 September 2021, the Anapen® adrenaline (epinephrine) autoinjector was introduced into Australia for the treatment of anaphylaxis. School Anaphylaxis Supervisors must complete the Anapen® workshop when the school has a student enrolled with an [ASCIA Action Plan for Anaphylaxis \(RED\) Anapen](#).

On 24 January 2026, the DE announced two additional adrenaline devices approved for emergency anaphylaxis treatment, both registered with the TGA and available in Australia from 2026:

- Neffy® adrenaline nasal spray
- Jext® adrenaline injector.

School Anaphylaxis Supervisors are required to complete an online workshop on Neffy® or Jext® devices if:

- their current *Course in Verifying the Correct Use of Adrenaline Injector Devices (22579VIC)* certificate has more than six months remaining before renewal; or
- the school has a student with an ASCIA Action Plan for Anaphylaxis (RED) specifying Neffy® or Jext® and the School Anaphylaxis Supervisor has not previously been trained in these devices.

School Anaphylaxis Supervisors who complete the *Course in Verifying the Correct Use of Adrenaline Injector Devices (22579VIC)* on or after the first day of Term 1, 2026 are not required to undertake the online workshop, as the updated course includes training specifying Neffy® and Jext®.

Responsibilities

School Anaphylaxis Supervisors are responsible for:

- providing evidence of completed training to the principal or nominated staff member
- assessing and confirming correct use of adrenaline autoinjector (trainer) devices by staff completing ASCIA e-training

- sending reminders to staff and inform new staff about anaphylaxis training requirements
- liaising with the principal or the nominated staff member to ensure training records are maintained
- providing access to adrenaline autoinjector (trainer) devices for staff practice
- offering advice and guidance to staff on allergy and anaphylaxis management, as needed
- collaborating with parents and carers (and students where appropriate) to implement IAMPs
- where possible, lead the school's twice-yearly anaphylaxis briefing.

The School Anaphylaxis Supervisors are:

Caroline Galea (Principal) and

Derryn Ling (Deputy Principal)

Table 2: Summary of training requirements

Who	Training requirements	Additional requirements
Relevant school staff nominated by the principal	ASCIA e-training course every two years AND • Anaphylaxis management staff briefings twice yearly	School Anaphylaxis Supervisor must evaluate an individual's competency in administering an adrenaline autoinjector within 30 days of successful course completion.
School staff with a student with anaphylaxis in their class or as deemed required by the principal	ASCIA e-training course every two years AND • Anaphylaxis management staff briefings twice yearly	School Anaphylaxis Supervisor must evaluate an individual's competency in administering an adrenaline autoinjector within 30 days of successful course completion.
All school staff, including casual staff and volunteers	• Anaphylaxis management staff briefings twice yearly	
School Anaphylaxis Supervisor/s	• ASCIA e-training course • Verifying the correct use of adrenaline injector devices 22579VIC • First aid management of anaphylaxis 22578VIC • Anapen® (epinephrine) adrenaline autoinjector workshop if there is a student enrolled with an ASCIA Action Plan for Anaphylaxis Red Anapen • Online workshop on Neffy® adrenaline nasal spray and/or Jext® adrenaline injector if there is a student enrolled with an ASCIA Action Plan for Anaphylaxis (RED) specifying the use of a Neffy® or Jext® device (if previous training has not been completed)	• Minimum of two supervisors per school campus. • Must sign ASCIA certificates for staff. • Lead twice-yearly staff briefings.

10. Risk minimisation and prevention strategies

The principal is responsible for ensuring that the [Risk Minimisation Strategies for MACS Schools](#) template is completed, regularly reviewed in light of information provided by parents and carers, and effectively implemented so that:

- risk minimisation and prevention strategies are applied across all relevant in-school and outside of school settings to prevent and reduce the risk of exposure to allergens

- the strategies in place actively reduce the likelihood of a student experiencing an anaphylactic reaction
- a sufficient number of trained school staff are present, in accordance with the MO 706 (refer to Staff training as outlined at (9)), whenever a student at risk of anaphylactic reaction is under the school's care or supervision, including outside normal class activities such as in the school yard, during camps and excursions, and at special events conducted, organised or attended by the school
- all staff are regularly reminded of their duty of care to take reasonable steps to protect students from reasonably foreseeable risks of injury, and understand that developing and implementing effective risk minimisation strategies is a critical component of this duty
- all school staff, parents and carers, students and the wider school community understand that risk minimisation is a shared, whole-school responsibility.

Risk minimisation and prevention strategies at our school include but are not limited to the following school-specific settings:

Settings	Minimisation and prevention strategies
Classroom activities (including class rotations, specialist and elective classes)	Staff to attend twice yearly briefings on Anaphylaxis which identifies children in our school who are anaphylactic. Anaphylaxis medical register sent out to all staff including specialist.
School to parent communication	Information sent to the parent community on severe allergy and the risk of anaphylaxis along with the avoidance of sending cakes etc.. for birthdays Alert parents to strategies that the school has in place and the need for their child to not share food and to wash hands after eating.
Food brought into school	<p><u>Food rewards</u></p> <p>Food rewards are discouraged and non-food rewards encouraged.</p> <p><u>Birthday celebrations</u></p> <p>Notice placed in the newsletter highlighting the need to take extra precautions when sending cakes etc.. to school for birthday celebrations. Ideally parents should avoid sending food.</p> <p>Children are reminded not to share food</p> <p><u>Cooking/food technology</u></p> <p>Prior to cooking sessions and activities using food a list of ingredients is to be sent home so that parents can see what the children will be using</p> <p>Remind all children to not share food they have cooked with others at school including during morning tea and lunch breaks.</p> <p><u>Science experiments</u></p>

Settings	Minimisation and prevention strategies
	<ul style="list-style-type: none"> Engage parents in discussion prior to experiments containing foods. <p><u>Art and craft classes</u></p> <p>Ensure containers used by students at risk of anaphylaxis do not contain allergens (e.g. egg white or yolk on an egg carton) when asking parents for items from home.</p> <p>Activities such as face painting or mask making (when moulded on the face of the child), should be discussed with parents prior to the event, as products used may contain food allergens such as peanut, tree nut, milk or egg.</p> <p>Care should be taken with play dough etc. Check that nut oils have not been used in their manufacture. Discuss options with parents or guardians of wheat allergic children. If unable to use the play dough, provide an Our school does not ban certain types of foods (e.g., nuts) as it is not practicable to do so and is not a strategy recommended by the DE or the Royal Children’s Hospital as it can create complacency amongst staff and students, and it cannot eliminate the presence of all allergens.</p> <p>However, our school avoids the use of nut-based products in all school activities, requests that parents and carers do not send those items to school if possible and the school reinforces the rules about not sharing and not eating foods provided from home.</p>
Canteens	<p>Staff (including volunteer helpers) educated on food handling procedures and risk of cross contamination of foods.</p> <p>Photos of the children with food allergy being placed in the canteen/childcare kitchen.</p> <p>Consideration of foods brought into the canteen before being placed on the canteen food list.</p> <p>Canteen manageress to complete anaphylaxis emodules</p>
Recess and lunchtimes	<p>Litter duty</p> <p>When assigning rubbish collecting duties. Students should be wearing gloves or using tongs</p> <p>Staff should be aware of students at risk of insect sting anaphylaxis, these students should be assigned another consequence.</p> <p>Sunscreen</p> <p>Parents should be informed that the cancer council sunscreen is offered to children, however parents are to also be informed that they are free to provide their child with their own.</p>
Incursions (onsite activities)	<p>Prior discussion with parents if incursions/on-site activities include any food activities.</p>

Settings	Minimisation and prevention strategies
Excursions	<p>Teachers organising/attending excursions or sporting events should plan an emergency response procedure prior to the event. This should outline the roles and responsibilities of teachers attending, if an anaphylaxis occurs. Staff should also:</p> <p>Carry mobile phones. Prior to the event, check that mobile phone reception is available and if not, consider other forms of emergency communication (e.g. walkie talkie, satellite phone).</p> <p>Ensure that auto injector is with the group leader if children are divided into groups.</p> <p>Remind children not to share food</p> <p>Discourage eating on buses.</p> <p>Check if excursion includes a food related activity, if so discuss with the parent or guardian.</p> <p>Staff are to carry emergency first aid medical kit containing the adrenaline autoinjector and ASCIA Action Plan for Anaphylaxis and ensure the child at risk of anaphylaxis is in the care of the person carrying the adrenaline autoinjector.</p>
School camps	<p>School staff/camp coordinator are to fill out a risk register and take into consideration the following:</p> <p>School's emergency response procedures should clearly outline roles and responsibilities of the teachers in policing prevention strategies and their roles and responsibilities in the event of an anaphylactic reaction.</p> <p>Staff should demonstrate correct administration of adrenaline autoinjectors using training devices (EpiPen® and Anapen®) prior to camp.</p> <p>Ascertain location of closest hospital, ability of ambulance to get to camp site area (e.g. consider locked gates in remote areas).</p> <p>Confirm mobile phone network coverage for standard mobile phones prior to camp. If there is no access to a mobile phone network, alternatives need to be discussed and arranged.</p> <p>School staff are to take the student's auto injector along with one of the schools general use autoinjectors so that two adrenaline autoinjectors are available and any other required medications whilst the child is on the camp.</p> <p>Clear advice should be communicated to all parents or guardians prior to camp regarding foods. Children should be discouraged from taking food.</p> <p>Parents or guardians should communicate directly with the catering staff and discuss food options/menu, food brands, and cross contamination risks to determine the safest food choices for their child.</p> <ul style="list-style-type: none"> • Parents or guardians may prefer to provide all of the child's food for the duration of the camp in certain cases if this is the safest option. If this is the case, storage and heating of food needs to be organised. Discussions by

Settings	Minimisation and prevention strategies
	school staff and parents or guardians with the operators of the camp facility should be undertaken well in advance of camp.
LATEX ALLERGY	<p>Latex allergy is relatively rare in children, but where such individuals are identified non-latex gloves (e.g. sick bay, first aid kits, canteens, kitchens) should be made available.</p> <p>Non-latex balloons should also be considered when there is a child enrolled with latex allergy.</p>
Fundraising events/special events/cultural days	<p>Consider children with food allergies when planning any fundraisers, cultural days or stalls for fair/fete days, breakfast mornings etc. (A risk assessment should be completed)</p> <p>If parents are bringing in food- a notice should be sent to the parent community discouraging specific food products (e.g. nuts) where appropriate</p> <p>Where food is for sale, a list of ingredients should be available for each food.</p>

10.1. Annual Anaphylaxis Risk Management Checklist for Schools

The principal is responsible for ensuring that:

- the [Annual Anaphylaxis Risk Management Checklist for Schools](#) (DE template) is completed at the start of each year to monitor the school's compliance with MO 706 and any updates as published by the DE, MACS and the Victorian Catholic Education Authority (VCEA)
- the *Off-site Risk Management Checklist for Schools* is completed when determining requirements for activities such as excursions, camps and travel.

11. Emergency response to anaphylactic reaction

The principal is responsible for ensuring that:

- the school has clear and comprehensive first aid and emergency response processes in place that allows staff to react quickly if anaphylactic reaction occurs, for both in-school and outside of school settings
- there are sufficient trained staff present in accordance with MO 706 whenever students at risk are under the school's care or supervision
- regular drills are conducted to test the effectiveness of these processes.
- The principal is responsible for determining how appropriate communication with school staff, students, parents and carers, and the wider school community will occur in the event of an emergency about anaphylaxis. This includes ensuring the understanding that anaphylaxis is the most severe type of allergic reaction and should always be treated as a medical emergency. Anaphylaxis requires immediate treatment with adrenaline (epinephrine). If treatment with adrenaline is delayed, this can result in fatal anaphylaxis.

Copies of the [ASCIA First Aid Plan for Anaphylaxis](#) and [Emergency Response to Anaphylactic Reaction](#) are prominently displayed in relevant locations including:

- School to edit for specific locations for example, first aid room, staffroom and, including the canteen.

11.1. Display of general and emergency plans

The principal is responsible for ensuring that this policy integrates with the school's general first aid and emergency response procedures. This includes:

- storing and displaying completed ASCIA Action Plans for Anaphylaxis (RED) and IAMPs in ways that allow staff to quickly and easily access them
- storing and posting the First Aid Plan for Anaphylaxis and the Emergency Response to Anaphylactic Reaction alongside adrenaline autoinjectors purchased for general use in all designated locations
- embedding anaphylaxis-specific steps into the school's general emergency response plan
- ensuring emergency drills include scenarios for anaphylaxis
- keeping adrenaline autoinjectors purchased for general use stored with first aid kits and emergency response posters
- aligning incident reporting with the school's existing first aid and critical incident reporting
- displaying emergency procedures for anaphylaxis around the school for reference.

11.2. Responding to an incident

In the event of an anaphylactic reaction, staff must follow:

- student's ASCIA Action Plan for Anaphylaxis (RED)
- [ASCIA First Aid Plan for Anaphylaxis](#)
- [Emergency Response to Anaphylactic Reaction](#) and
- the school's general [first aid procedures](#):

In all situations

1. If safe to do so, lay the person flat, do not allow the patient to stand or walk.
2. If breathing is difficult allow patient to sit
 - Be calm, reassuring
 - Do not leave them alone
 - Seek assistance from another staff member or a reliable student to locate the student's supplied adrenaline device or an adrenaline autoinjector for general use, the student's IAMP and ASCIA Action Plan for Anaphylaxis (RED).
3. Administer prescribed adrenaline device – note the time given and retain the used adrenaline device to give to ambulance paramedics.
4. Phone ambulance 000 (112 – mobile).
5. If there is no improvement or severe symptoms progress, further adrenaline doses may be given every five minutes (if another adrenaline autoinjector is available).
6. Phone emergency contact.

If in doubt, give an adrenaline autoinjector

If the student has not been previously diagnosed by a medical practitioner as having a medical condition that relates to allergy and the potential for anaphylactic reaction but appears to be having a severe allergic reaction, follow Steps 2–6 above.

Immediate actions:

- A staff member will remain with the student at all times.
- The student will be laid flat. They will not be allowed to stand or walk. If breathing is difficult, the student will be allowed to sit with their legs outstretched.

- Another staff member will immediately locate the student's adrenaline autoinjector and the student's IAMP and ASCIA Action Plan for Anaphylaxis (RED).
- The adrenaline device will be administered following the instructions in the student's ASCIA Action Plan for Anaphylaxis (RED). Where possible, only school staff with training in the administration of an adrenaline autoinjector will administer the student's adrenaline device. However, it is imperative that an adrenaline device is administered as soon as signs of anaphylaxis are recognised. If required, the adrenaline device will be administered by any person following the instructions in the student's ASCIA Action Plan for Anaphylaxis (RED).
- The student will not stand or be moved unless they are in further danger (for example, the anaphylactic reaction was caused by a bee sting, and the beehive is close by). The ambulance staff should transport the student by stretcher to the ambulance, even if symptoms appear to have improved or resolved. The student must be taken to the ambulance on a stretcher if adrenaline has been administered.

Local information for school's Emergency Response:

- A complete and up-to-date list of students identified at risk of anaphylaxis located at the front office along with an online medical register which is shared with staff at the beginning of each year.
- Each child has an IAMPs. This is located at the front office. Their ASCIA Action Plans for Anaphylaxis (RED) is located in a folder in the front office along with a copy being placed in with their autoinjector.
- If an emergency occurs
 - outside on the playground, a child is to be sent in immediately to collect their autoinjector pen and staff are to rush this outside along with a mobile phone.- do not move the child. The adrenaline device is administered. An ambulance should be called by another staff member and then parents called.
 - In the classroom, the staff member closest to the child is to call the office for immediate assistance. They are then to alert the teacher next door so all other children can be removed from the classroom. Additional staff/office staff are to immediately take the adrenaline device to the child where the correct use of the adrenaline device is to take place. An ambulance should be called by another staff member and then parents called.
 - On an excursion- children are to be removed from the scene as far as practical by another staff member. They are then to administer the adrenaline device and phone an ambulance. Parents and the school should then be informed.
- Location and storage of adrenaline devices, including those for general use are kept in individual containers in the staffroom
- How appropriate communication with staff occurs at twice yearly briefings. Students are reminded at assemblies not to share food and parents and carers are communicated with via the school newsletter

11.3. Post-incident reporting

The administration of first aid to students from an anaphylactic incident or illness must be recorded, including all actions taken in the provision of care. This information can be recorded on the school's preferred first aid platform, accident/incident register or, depending on the severity of the incident, reported via the [MACS Guard Incident Reporting page](#) as soon as reasonably practicable, in accordance with the Emergency and Critical Incident Management Procedures. The accident/incident register must be maintained.

11.4. Post-incident review

The principal is responsible for ensuring that a copy of the first aid and/or incident report is provided to parents and carers of the student.

After an anaphylactic reaction has taken place that has involved a student in the school's care and supervision, the principal is responsible for ensuring that the following review processes take place:

- The adrenaline device must be replaced by the parents and carers as soon as possible. In the meantime, the principal or nominated staff member will ensure that there is an interim IAMP in place should another anaphylactic reaction occur prior to the replacement adrenaline device being supplied by the parents and carers.
- If the adrenaline autoinjector for general use has been used this should be replaced as soon as possible. In the meantime, the principal or nominated staff member will ensure that there is an IAMP in place should another anaphylactic reaction occur prior to the replacement adrenaline autoinjector for general use being provided.
- The student's IAMP will be reviewed in consultation with the student's parents and carers.
- The school's Anaphylaxis Management Policy will be reviewed to ascertain whether there are any issues requiring clarification or modification in the policy, therefore supporting the school to meet its ongoing duty of care to students.

12. Communication plan

The principal is responsible for ensuring that a Medical Management Communication Plan is developed, regularly communicated and implemented to provide information for staff, students and parents and carers. The plan will:

- provide clear information to all school staff, students and parents and carers about anaphylaxis, the school's Anaphylaxis Management Policy, strategies for advising school staff and students about how to respond to an anaphylactic reaction of a student in various environments
- outline communication processes with parents and carers for obtaining current and updated medical documentation and medication.

School to add school-specific details about the Communication plan and where the information will be published including:

Outline the specific practices for:

- Staff awareness: twice yearly briefings are held during staff meetings. The presentation is then sent out to all staff. LSO briefings are held twice yearly by the Learning Diversity leader. induction of new staff, volunteers, CRTs, etc.
- Student awareness: Posters pertaining to Anaphylaxis are found in the sick bay, this includes what to do in an emergency.
- Parent and carer awareness: Updates and reminders are placed in the school newsletter

Include strategies for advising staff, students, parents and carers about how to respond to an anaphylaxis reaction of a student in various environments:

- During normal school time if a child has an anaphylaxis reaction;
 - staff are to call the office immediately or advise a colleague to call
 - extra member of staff to remove all the children
 - advise office that a student is having an anaphylaxis reaction
 - staff to take down the adrenaline device
 - Staff to administer the device

Upon initially calling the office the office is to call the ambulance, parents are also to be called by the office.

- During an off-site activity
 - extra member of staff to remove all the children
 - Staff to administer the device

Ambulance are to be called and then parents and school

12.1. Working collaboratively with parents and carers

The principal is responsible for working collaboratively with parents and carers of students who have been diagnosed by a medical practitioner as having a medical condition that relates to allergy and the potential for anaphylactic reaction to ensure each student's needs are understood and supported. This includes:

- developing a clear process for requesting new or updated medical documentation and/or medication as part of the annual or triggered reviews
- ensuring all communication is accessible, culturally appropriate and respectful of families.

12.2. Information to staff, parents and carers

The Communication Plan includes strategies for advising school staff, students, parents and carers about how to respond to an anaphylaxis reaction of a student in various environments:

- during normal school activities, including in a classroom, in the school yard, in all school buildings and facilities such as gymnasiums and halls
- during off-site or out of school activities, including on excursions, school camps and at special events conducted, organised or attended by the school
- training that staff in the school have received.

The principal is responsible for developing a process for communication for when new or updated medical documentation and/or medication is required as part of annual or triggered reviews. School staff engaged in this process ensure that communication is accessible and culturally appropriate.

Staff will develop open, cooperative relationships with parents and carers to decide how information will be shared, requesting and updating medical information. The school will adopt the following process.

Initial notification

- At the start of each school year, upon enrolment and/or when a medical plan (e.g. IAMP) is due to expire, parents and carers are informed of the need to update their child's medical management and/or ASCIA Action Plans for Anaphylaxis (RED). A clear timeframe for submission of updated plans is included.

Follow-up communication

- Follow-up reminders are sent via email or phone as the deadline approaches.
- Direct phone calls or meetings are made when updates are considered critical.
- Parents and carers seeking guidance can contact the Anaphylaxis Advisory Line:
 - Phone: 1300 725 911 or 9345 4235
 - Email: anaphylaxisadvice@rch.org.au

Escalation process

- Second reminder: School sends a reminder via the preferred communication method (e.g. email, school app, letter), ensuring accessibility and cultural appropriateness.
- Phone call: A follow-up phone is made and the potential risks to their child's health and safety highlighted if the information is not updated.
- Inform parents and carers of any impact on child's safe participation in-school and outside of school activities without updated medical plans and medication, and work to develop a future plan for updating information.
- For further support, the school can contact their Senior Manager, School Leadership.

Ongoing Communication

- Schedule periodic check-ins before review points to ensure the medical information remains current.

- Encourage parents and carers to notify the school of any changes in their child's health status throughout the year.

This policy is published on the school's website.

12.3. Anaphylaxis Advisory line

For further advice and support on MO 706, principals and school representatives, MACS school and office staff, and parents and carers can contact the Royal Children's Hospital Anaphylaxis Advice & Support Line via phone on **1300 725 911** or **9345 4235** or email anaphylaxisadvice@rch.org.au

13. Roles and reporting responsibilities

Role	Responsibility	Reporting requirement
Principal	Maintain a register of students at risk of anaphylactic reaction.	Annual Attestation
Principal	Ensure adequate adrenaline autoinjectors for general use are purchased and available in the school and that these are replaced at time of use or expiry, whichever is first.	Annual Attestation
Principal	Ensure twice yearly briefings on anaphylaxis management are conducted with one briefing at the start of the school year.	Annual Attestation
Principal	Ensure staff, including anaphylaxis supervisors, have completed appropriate training and that adequate staff trained in anaphylaxis management are available for all school activities including off site activities and school approved activities outside school hours.	Annual Attestation
Principal	Ensure a communication plan is developed to provide information to all staff, students, parents and carers about the Anaphylaxis Management Policy.	Annual Attestation
Principal	Ensure this policy is published and available to the school community.	Annual Attestation
Anaphylaxis Supervisor or other staff member who has completed Anaphylaxis Management course successfully in past two years	Conduct twice yearly briefings for all staff on anaphylaxis management with one briefing at the commencement of the school year, using the briefing template provided by the DE for use in schools, including verbal briefings for casual staff and volunteers.	Annual Attestation

14. Definitions

Definitions of standard terms used in this Policy can be found in the [MACS Glossary of Terms](#).

Adrenaline autoinjector device

An adrenaline autoinjector device, approved for use by the Australian Government Therapeutic Goods Administration, which can be used to administer a single pre-measured dose of adrenaline to those experiencing a severe allergic reaction (anaphylaxis). These may include EpiPen®, EpiPen® Jr, Jext® Jr 150, Jext® 300 or Anapen® 500.

Adrenaline autoinjector for general use

A 'backup' or 'unassigned' adrenaline autoinjector purchased by a school. These can be EpiPen®, EpiPen® Jr, Jext® Jr 150, Jext® 300, or Anapen® 500.

Adrenaline device

An adrenaline device, approved for use by the Commonwealth Government Therapeutic Goods Administration, which can be used to administer a single pre-measured dose of adrenaline to those

experiencing a severe allergic reaction (anaphylaxis). These may include EpiPen®, EpiPen® Jr, Anapen® 500, Jext® Jr 150, Jext® 300, Neffy® 1 mg and Neffy® 2 mg.

Anaphylaxis

Anaphylaxis is a severe, rapidly progressive allergic reaction that is potentially life threatening. The most common allergens in school aged children are peanuts, eggs, tree nuts (e.g. cashews), cow's milk, fish and shellfish, wheat, soy, sesame, lupin and certain insect stings (particularly bee stings).

Anaphylaxis Guidelines (Guidelines)

A resource for managing severe allergies in Victorian schools, published by the Department of Education (DE) for use by all schools in Victoria and updated from time to time.

Australasian Society of Clinical Immunology and Allergy (ASCI)

The peak professional body of clinical immunology and allergy in Australia and New Zealand.

EpiPen®, Anapen® and Jext®

Autoinjectable devices that deliver the drug adrenaline (epinephrine). They are used when someone is experiencing a severe allergic reaction.

Neffy®

A nasal spray adrenaline device that delivers the drug adrenaline (epinephrine). It is used when someone is experiencing a severe allergic reaction.

Registered medical/health practitioner

A person registered under Australian Health Practitioner Registration Agency (AHPRA) and relevant state/national board for their health profession, whether the registration of that person is general, specific, provisional, interim or non-practising but does not include a registered student.

School approved activities

Any academic, sporting, social or other activities for which students' attendance or participation is authorised or organised by the school.

School environment

Means any of the following physical, online or virtual places used during or outside school hours:

- a campus of the school
- online or virtual school environments made available or authorised by MACS or a MACS school for use by a child or student (including email, intranet systems, software, applications, collaboration tools and online services)
- other locations provided by the school or through a third-party provider for a child or student to use including, but not limited to, locations used for camps, approved homestay accommodation, delivery of education and training, sporting events, excursions, competitions and other events (Ministerial Order No. 1359).

15. Related policies and documents

Supporting documents

Anaphylaxis Risk Management Checklist for Off-site Activities – Template for Schools
Annual Anaphylaxis Risk Management Checklist for Principals – Template for Schools
Emergency Response to Anaphylactic Reaction – Template for Schools
Individual Anaphylaxis Management Plan – Template for Schools
Risk Minimisation Strategies for Schools – Template for Schools

Related MACS policies and documents

Administration of Medication Policy
Anaphylaxis Management Policy for MACS Schools
Duty of Care Policy

Emergency Management Plan
 First Aid Policy
 Medical Management Policy

Resources

- [Department of Education Victoria Anaphylaxis Guidelines](#)
- [Department of Education Victoria Anaphylaxis Management Briefing presentation](#)
- [Department of Education Victoria Facilitator guide for anaphylaxis management briefing](#)
- [ASCIA Action Plans for Anaphylaxis \(RED\) and First Aid Plans for Anaphylaxis or Allergies](#)
- [ASCIA Travel Plan](#)
- [ASCIA Anaphylaxis e-training for Victorian schools](#)
- [ASCIA Adrenaline \(Epinephrine\) Injectors for General Use](#)
- [Royal Children’s Hospital Anaphylaxis Advisory Support line](#)

16. Legislation and standards

Education and Training Reform Act 2006 (Vic)
 Ministerial Order 706 – Managing the Risk of Anaphylaxis in Victorian Schools and School Boarding Premises

Policy information

Responsible executive	Director, Education Excellence
Policy owner	Chief of Student Services
Approving authority	Director, Education Excellence
Related policy	Anaphylaxis Management Policy for MACS Schools
Assigned board committee	Child Safety and Risk Management
Approval date	4 February 2026
Risk rating	High
Review by	Annual
Publication	CEVN

POLICY DATABASE INFORMATION	
Assigned framework	Care, Safety and Welfare of Students
Supporting documents	See list of supporting documents and related policies above
Superseded documents	Anaphylaxis Policy for MACS Schools – v5.0 – 2025 Anaphylaxis Policy for MACS Schools – v4.0 – 2025 Anaphylaxis Policy for MACS Schools – v3.0 – 2023 Anaphylaxis Policy – v2.0 – 2022 Anaphylaxis Policy – v1.0 – 2021